


Assembly Instructions



(W x D x H) m0.39 x 0.39m x 1.2m
Product Name: Scaffell Obelisk

Pressure Treated products should not be treated with any other products for the first month.

PLEASE KEEP THESE INSTRUCTIONS

Zest4Leisure
01352 752555 option 1 – sales@zest4leisure.co.uk


Scafell Pike Obelisk Assembly Instructions

Requires 2 person assembly.

Tools required: Corded / Cordless Drill, Pozi-drive Bit / Screwdriver, 3mm Drill Bit required in order for you to drill all screw holes before construction.

Scafell Pike Obelisk Pack List		
Item	Description	Quantity
A	Side Panel	4
B	Cap	1

Fixings		
	30mm Screws	16



Please take a few moments to check all pack contents listed.

Assembly requires 2 persons.

Tools required: Corded/Cordless Drill, Pozi-drive Bit/Screwdriver, 3mm Drill Bit required in order for you to drill all screw holes before construction.

1. Align two Trellis Panels A as shown in Fig.1a. Ensuring that screw holes are positioned in overlap of horizontal batten (See arrows Fig.1a) and horizontal battens face outwards, attach panels using 3no 30mm screws (Figs.1b, 1c & 1d). Repeat procedure to attach subsequent panels to form an obelisk.
2. Locate Cap (B) into top of obelisk and fix in position using 4no 30mm screws (Figs.2a & 2b)

Scafell Pike Obelisk is now complete.

